

SYSTEM DESCRIPTION

SYSTEM CAPABLE OF SUPPORTING SPECIFIED ELECTRONICS.

PRE-ENGINEERED MODULAR CONSTRUCTION.

SUPPLIED KNOCKED-DOWN; ASSEMBLY ACCOMPLISHED WITHOUT NEED FOR WELDING OR MODIFICATIONS.

CONSTRUCTED OF STEEL SUPERSTRUCTURE FRAMEWORK CONSISTING OF END FRAMES CONNECTED BY HORIZONTAL

MODESTY PANEL (STEEL SHEET INCORPORATING EASY-ACCESS CABLE RACEWAY).

QUICK-RELEASE LIFT-OFF ACCESS PANELS LOCATED ON INSIDE OF EACH END FRAME. COMPRISED OF STEEL END FRAMES

WORK SURFACES WITH INTEGRATED BLACK ANODIZED ALUMINUM VERSA-TRAK MOUNTING SYSTEM FOR LCD MONITOR

ARRAYS.

WORK SURFACE HEIGHT ADJUSTMENT FROM 30IN THROUGH LEVELING FEET.

CONVERTIBLE FROM STATIONARY TO SIT-STAND POST INSTALLATION.

FRAME BASE FINISH WORK SURFACE	■ 36310 ■ OPEN ■ BLACK POWDER ■ SINGLE	VUE-C 75" ☐ CLOSED COAT ☐ DUAL	☐ HEIGHT ADJUSTABLE		■ STATIONARY	
WORKCOKITICE	1-1/8" LAM	☐ 1-1/8" CE		☐ 1-1/8" TF	□ 5/8	3" CL
	BLACK	WHITE	☐ GRAY	MAPLE	☐ WALNUT	OTHER
VERTICAL PANEL	☐ ¾" LAM	☐ ¾" TF				
	BLACK	☐ WHITE	☐ GRAY	■ MAPLE	■ WALNUT	OTHER
POWER COMPATIBILITY	☐ 110v	240v				
PRIVACY PANEL	PERFORATED	ACOUSTICAL LIGHTING				
CONTROL INTERFACE	ANALOG	SYNERGY				
FEATURES	CPU PEDESTAL					
	■ VERSA-TRAK					


WARRANTY

LIMITED LIFETIME WARRANTY ON ALL FIXED STEEL STRUCTURE FRAME COMPONENTS
10-YEAR WARRANTY ON ADJUSTABLE, SLIDING, OR HINGES COMPONENTS
10-YEAR WARRANTY ON LAMINATED SURFACES
5-YEAR WARRANTY ON POWER ACTUATED LIFT MECHANISMS
2-YEAR WARRANTY ON GENERAL ELECTRICAL COMPONENTS



36310 Vue-C 75" Open Base Stationary

SCALE - NTS




PERFORATED
PRIVACY PANEL
MODESTY PANEL
CABLE GROMMET -5X
CABLE GROMMET -2X

Vue-C 75" Open Base Stationary ISO-Back

1 Vue-C 75" Open Base Stationary ISO-Front

NOTES:

- WORK SURFACES AVAILABLE IN:
 - 1-1/8" LAMINATE (LAM), COMFORT EDGE (CE), TRUFORM (TF)
 5/8" COMPACT LAMINATE (CL)
- VERTICAL PANELS AVAILABLE IN:
 - o 34" LAM INATE (LAM)
 - o ¾" TRUFORM (TF)
- ADDITIES TO ALL SLIDEACES
 - LAMINATE FACE COLORS: BLACK, WHITE, GRAY, MAPLE & WALNUT
 - GRAIN FINISH RECOMENDED FOR VERTICAL SURFACES ONLY
- EDGE CONDITIONS (SECTION SHOWN ON SHEET 3, DETAIL 6)
 - WORK SURFACES
 - LAM: SAFEGUARD (T-MOLDED POLYETHYLENE PVC)
 - CE: COMFORT EDGE (URETHANE MOLDED SHAPED EDGE)
 - TF: TRUFORM (THERMOFOIL FORMED TO SURFACE AND EDGE)
 - CL: MACHINE-SHAPED EXPOSED PHENOLIC RESIN CORE
 - VERTICAL PANELS
 - LAM/CE: PVC EDGE-BANDING BLACK OR MATCH SURFACE COLOR
 - TF: THERMOFOIL FORMED TO SURFACE AND EDGE




(3) Vue-C 75" Open Base Stationary ISO-Bottom



36310 Vue-C 75" Open Base Stationary


SCALE - NTS





36310 Vue-C 75" Open Base Stationary

SCALE - NTS



Vue-C 75" Open Base Stationary Ergonomic Detail - Sitting



36310 Vue-C 75" Open Base Stationary Ergonomic Details

SCALE - NTS