#### SYSTEM DESCRIPTION

SYSTEM CAPABLE OF SUPPORTING SPECIFIED ELECTRONICS.

PRE-ENGINEERED MODULAR CONSTRUCTION.

SUPPLIED KNOCKED-DOWN; ASSEMBLY ACCOMPLISHED WITHOUT NEED FOR WELDING OR MODIFICATIONS.

CONSTRUCTED OF STEEL SUPERSTRUCTURE FRAMEWORK CONSISTING OF END FRAMES CONNECTED BY HORIZONTAL MODESTY PANEL (STEEL SHEET INCORPORATING EASY-ACCESS CABLE RACEWAY).

TWO 1.5X3IN CABLE MANAGEMENT RACEWAYS PER WORK SURFACE, INTEGRATED CABLE CHANNEL IN BASE.


QUICK-RELEASE LIFT-OFF ACCESS PANELS LOCATED ON INSIDE OF EACH END FRAME.

COMPRISED OF STEEL END FRAMES WITH ELECTRIC-LIFT LEGS.

WORK SURFACES WITH INTEGRATED BLACK ANODIZED ALUMINUM VERSA-TRAK MOUNTING SYSTEM FOR LCD MONITOR ARRAYS.

ELECTRIC LIFT LEGS OPERATE AT 38MM/S AND ACCEPT 90LBS PER COLUMN.

WORK SURFACE HEIGHT ADJUSTMENT FROM 30 TO 46IN HIGH.



FRAME	36250	VUE X				
BASE	CLOSED	HEIGHT ADJUSTABLE				
FINISH	BLACK POWDER COAT					
WORK SURFACE	SINGLE					
	☐ ¾" MDF	5/8" COMPACT LAMINATE				
	☐ BLACK	WHITE     ■     WHITE     ■	GRAY			OTHER
END PANELS*	☐ ¾" MCF	☐ ¾" MDF				
*MCF not available in Maple	BLACK	WHITE	GRAY			OTHER
LIFTING COLUMNS	ONE SET OF TWO COLUMNS (2 TOTAL)					
POWER COMPATIBILITY	☐ 110v	240v				
PRIVACY PANEL	☐ PERFORATED		☐ ACOUST	ACOUSTICAL LIGHTING		
CONTROL INTERFACE	ANALOG		SYNERGY	SYNERGY		
FEATURES	CPU SHELF					
	VERSA-TRAK					
	LAMINATE FRONT DOORS		SOFT TO	SOFT TOUCH LATCH		
	STEEL VENTED REAR DOORS		SOFT TO	SOFT TOUCH LATCH		
	11U RACKIN	IG BASE CABINET				

### WARRANTY

LIMITED LIFETIME WARRANTY ON ALL FIXED STEEL STRUCTURE FRAME COMPONENTS

10-YEAR WARRANTY ON ADJUSTABLE, SLIDING, OR HINGES COMPONENTS

10-YEAR WARRANTY ON LAMINATED SURFACES

5-YEAR WARRANTY ON POWER ACTUATED LIFT MECHANISMS


2-YEAR WARRANTY ON GENERAL ELECTRICAL COMPONENTS




## 36250 Vue X Closed Base Sit-Stand

SCALE - NTS


The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.





### NOTES:

- WORK SURFACES AVAILABLE IN ¾" MDF OR 5/8" COMPACT LAMINATE (CL) CORE
- END PANELS AND DOORS AVAILABLE IN ¾" MCF AND ¾" MDF CORE
- APPLIES TO ALL SURFACES:
  - LAMINATE FACE COLORS ARE BLACK, WHITE, GRAY, MAPLE & WALNUT
  - MDF CUSTOM COLOR OPTIONS; REQUIRE CONTROL SAMPLE TO MATCH
  - CL CUSTOM COLORS MUST BE FROM FORMICA COLORECORE SERIES
  - MCF NOT AVAILABLE IN MAPLE
  - ARCHITECT TO SPECIFY GRAIN DIRECTION FOR MAPLE & WALNUT
- EDGE CONDITIONS (SECTION SHOWN ON SHEET 3, DETAIL 6)
  - WORK SURFACES
    - MDF: SAFEGUARD (T-MOLDED POLYETHYLENE PVC)
    - CL: MACHINE-SHAPED EXPOSED PHENOLIC RESIN CORE
  - O PANELS AND DOORS:
    - MCF: PVC EDGE-BANDING TO MATCH SURFACE COLOR
    - MDF: PVC EDGE-BANDING TO MATCH SURFACE COLOR






## 36250 Vue X Closed Base Sit-Stand

SCALE - NTS

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.







# 36250 Vue X Closed Base Sit-Stand

SCALE - NTS

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.







(2) Vue X Closed Base Sit/Stand Ergonomic Detail - Standing



# 36250 Vue X Closed Base Sit-Stand Ergonomic Details

SCALE - NTS