SYSTEM DESCRIPTION

SYSTEM CAPABLE OF SUPPORTING SPECIFIED ELECTRONICS. PRE-ENGINEERED MODULAR CONSTRUCTION.

SUPPLIED KNOCKED-DOWN; ASSEMBLY ACCOMPLISHED WITHOUT NEED FOR WELDING OR MODIFICATIONS.

CONSTRUCTED OF STEEL SUPERSTRUCTURE FRAMEWORK CONSISTING OF END FRAMES CONNECTED BY HORIZONTAL MODESTY PANEL (STEEL SHEET INCORPORATING EASY-ACCESS CABLE RACEWAY).

TWO 1.5X3IN CABLE MANAGEMENT RACEWAYS PER WORK SURFACE, INTEGRATED CABLE CHANNEL IN BASE.

QUICK-RELEASE LIFT-OFF ACCESS PANELS LOCATED ON INSIDE OF EACH END FRAME.

COMPRISED OF STEEL END FRAMES WITH ELECTRIC-LIFT LEGS.

WORK SURFACES WITH INTEGRATED BLACK ANODIZED ALUMINUM VERSA-TRAK MOUNTING SYSTEM FOR LCD MONITOR ARRAYS. ELECTRIC LIFT LEGS OPERATE AT 38MM/S AND ACCEPT 90LBS PER COLUMN.

WORK SURFACE HEIGHT ADJUSTMENT FROM 30 TO 46IN HIGH.

FRAME	36270	VUE X					
BASE	CLOSED	HEIGHT ADJUSTABLE					
FINISH	BLACK POWDER COAT						
WORK SURFACE	DUAL						
	¾″ MDF	5/8" COMPACT LAMINATE					
	BLACK		GRAY	MAPLE	WALNUT	OTHER	
END PANELS*	¾″ MCF	34" MDF					
*MCF not available in Maple	BLACK	WHITE	GRAY	MAPLE	WALNUT	OTHER	
LIFTING COLUMNS	TWO SETS OF TWO COLUMNS (4 TOTAL)						
POWER COMPATIBILITY	🗌 110v	240v					
PRIVACY PANEL	PERFORATEI	PERFORATED		ACOUSTICAL LIGHTING			
CONTROL INTERFACE	ANALOG	ANALOG		SYNERGY			
FEATURES	CPU SHELF	CPU SHELF					
	VERSA-TRAK	VERSA-TRAK					
	LAMINATE F	LAMINATE FRONT DOORS STEEL VENTED REAR DOORS		SOFT TOUCH LATCH			
	STEEL VENTE			SOFT TOUCH LATCH			
	11U RACKIN	G BASE CABINET					

WARRANTY

LIMITED LIFETIME WARRANTY ON ALL FIXED STEEL STRUCTURE FRAME COMPONENTS 10-YEAR WARRANTY ON ADJUSTABLE, SLIDING, OR HINGES COMPONENTS 10-YEAR WARRANTY ON LAMINATED SURFACES 5-YEAR WARRANTY ON POWER ACTUATED LIFT MECHANISMS 2-YEAR WARRANTY ON GENERAL ELECTRICAL COMPONENTS




36270 Vue X Closed Base Dual Sit-Stand

SCALE - NTS


The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.





NOTES:

- WORK SURFACES AVAILABLE IN ¾" MDF OR 5/8" COMPACT LAMINATE (CL) CORE
- END PANELS AND DOORS AVAILABLE IN ¾" MCF AND ¾" MDF CORE
- APPLIES TO ALL SURFACES:
 - LAMINATE FACE COLORS ARE BLACK, WHITE, GRAY, MAPLE & WALNUT
 - \circ \qquad MDF CUSTOM COLOR OPTIONS; REQUIRE CONTROL SAMPLE TO MATCH
 - \circ CL CUSTOM COLORS MUST BE FROM FORMICA COLORECORE SERIES
 - MCF NOT AVAILABLE IN MAPLE
 - ARCHITECT TO SPECIFY GRAIN DIRECTION FOR MAPLE & WALNUT
- EDGE CONDITIONS (SECTION SHOWN ON SHEET 3, DETAIL 6)
 - WORK SURFACES
 - MDF: SAFEGUARD (T-MOLDED POLYETHYLENE PVC)
 - CL: MACHINE-SHAPED EXPOSED PHENOLIC RESIN CORE
 - PANELS AND DOORS:
 - MCF: PVC EDGE-BANDING TO MATCH SURFACE COLOR
 - MDF: PVC EDGE-BANDING TO MATCH SURFACE COLOR




36270 Vue X Closed Base Dual Sit-Stand

SCALE - NTS



The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.





36270 Vue X Closed Base Dual Sit-Stand



The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

Sheet 3 4





(2) Vue X Closed Base Dual Sit/Stand Ergonomic Detail - Standing



36270 Vue X Closed Base Dual Sit-Stand Ergonomic Details

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

