


SYSTEM DESCRIPTION

SYSTEM CAPABLE OF SUPPORTING SPECIFIED ELECTRONICS.
 PRE-ENGINEERED MODULAR CONSTRUCTION WITH THREE MODULE SIZES (1-BAY, 2-BAY & 3-BAY) AND CONCAVE OR CONVEX CORNER WEDGES IN 15DEG, 45DEG AND 90DEG INCREMENTS.
 SUPPLIED KNOCKED-DOWN; ASSEMBLY ACCOMPLISHED WITHOUT NEED FOR WELDING OR MODIFICATIONS.
 CONSTRUCTED OF STEEL SUPERSTRUCTURE FRAMEWORK CONSISTING OF END FRAMES CONNECTED BY HORIZONTAL CROSSBAR. COMPRISED OF STEEL END FRAMES.
 ONE 1.5X3IN CABLE MANAGEMENT RACEWAY PER WORK SURFACE. INTEGRATED CABLE CHANNEL IN BASE.
 WORK SURFACES WITH INTEGRATED BLACK ANODIZED ALUMINUM VERSA-TRAK MOUNTING SYSTEM FOR LCD MONITOR ARRAYS.
 INTEGRATED CABLE MANAGEMENT ACCESSIBLE THROUGH COVER PANELS.
 WORK SURFACE HEIGHT ADJUSTMENT FROM 28.25IN THROUGH LEVELING FEET.



- | | | | | | |
|-----------------------------|--|--|---|--------------------------------|---------------------------------|
| FRAME | <input checked="" type="checkbox"/> 59000 | <input checked="" type="checkbox"/> SIGHTLINE HD | | | |
| BASE | <input checked="" type="checkbox"/> OPEN | <input checked="" type="checkbox"/> STATIONARY | | | |
| FINISH | <input checked="" type="checkbox"/> BLACK POWDER COAT | | | | |
| WORK SURFACE | <input checked="" type="checkbox"/> SINGLE | | | | |
| | <input type="checkbox"/> 3/4" MDF | <input type="checkbox"/> 5/8" COMPACT LAMINATE | <input type="checkbox"/> 1 1/4" SOLID SURFACE | | |
| | <input type="checkbox"/> BLACK | <input type="checkbox"/> WHITE | <input type="checkbox"/> GRAY | <input type="checkbox"/> MAPLE | <input type="checkbox"/> WALNUT |
| | <input type="checkbox"/> 3/4" MCF | <input type="checkbox"/> 3/4" MDF | | | |
| END PANELS* | <input type="checkbox"/> BLACK | <input type="checkbox"/> WHITE | <input type="checkbox"/> GRAY | <input type="checkbox"/> MAPLE | <input type="checkbox"/> WALNUT |
| *MCF not available in Maple | <input type="checkbox"/> 110v | <input type="checkbox"/> 240v | | | |
| POWER COMPATIBILITY | <input type="checkbox"/> ANALOG | <input type="checkbox"/> SYNERGY | | | |
| CONTROL INTERFACE | <input checked="" type="checkbox"/> CPU PEDESTAL | | | | |
| FEATURES | <input checked="" type="checkbox"/> VERSA-TRAK | | | | |
| | <input checked="" type="checkbox"/> STEEL VENTED REAR PANELS | | | | |
| | <input checked="" type="checkbox"/> DYNA-LINQ | | | | |
| | <input type="checkbox"/> SLAT-WALL | | | | |

WARRANTY

LIMITED LIFETIME WARRANTY ON ALL FIXED STEEL STRUCTURE FRAME COMPONENTS
 10-YEAR WARRANTY ON ADJUSTABLE, SLIDING, OR HINGES COMPONENTS
 10-YEAR WARRANTY ON LAMINATED SURFACES
 5-YEAR WARRANTY ON POWER ACTUATED LIFT MECHANISMS
 2-YEAR WARRANTY ON GENERAL ELECTRICAL COMPONENTS




59000 Sightline HD Open Base 3 Bay

SCALE - NTS

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.


Sheet

1 / 5



① Sightline HD Open Base 3 Bay ISO-Front

- DUPLEX / DYNA-LINQ
- POWER PANEL
- DATA PORT PANEL
- CABLE GROMMET -3X
- CABLE ACCESS PANEL
- CABLE GROMMET -2X
- VERSA-TRAK
- REAR PANEL




② Sightline HD Open Base 3 Bay ISO-Back

NOTES:

- WORK SURFACES AVAILABLE IN 3/4" MDF OR 5/8" COMPACT LAMINATE (CL) CORE, OR 1 1/4" SOLID SURFACE ON MDF CORE CONSTRUCTION
- END PANELS AVAILABLE IN 3/4" MCF AND 3/4" MDF CORE
- APPLIES TO ALL SURFACES:
 - LAMINATE FACE COLORS ARE BLACK, WHITE, GRAY, MAPLE & WALNUT
 - MDF CUSTOM COLOR OPTIONS; REQUIRE CONTROL SAMPLE TO MATCH
 - CL CUSTOM COLORS MUST BE FROM FORMICA COLORECORE SERIES
 - SOLID SURFACE CUSTOM COLOR OPTIONS; REQUIRE CONTROL SAMPLE TO MATCH
 - MCF NOT AVAILABLE IN MAPLE
 - ARCHITECT TO SPECIFY GRAIN DIRECTION FOR MAPLE & WALNUT
- EDGE CONDITIONS (SECTION SHOWN ON SHEET 3, DETAIL 6)
 - WORK SURFACES
 - MDF: SAFEGUARD (T-MOLDED POLYETHYLENE PVC)
 - CL: MACHINE-SHAPED EXPOSED PHENOLIC RESIN CORE
 - SOLID SURFACE: MACHINE-SHAPED BULLNOSE
 - PANELS:
 - MCF: PVC EDGE-BANDING TO MATCH SURFACE COLOR
 - MDF: PVC EDGE-BANDING TO MATCH SURFACE COLOR

- ADJUSTABLE FEET
- FASTEN TO FLOOR
- CABLE GROMMETS
- REMOVABLE PANEL



③ Sightline HD Open Base 3 Bay ISO-Bottom




59000 Sightline HD Open Base 3 Bay

SCALE - NTS


The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

Sheet


2 / 5




1 Sightline HD Open Base 3 Bay Top




2 Sightline HD Open Base 3 Bay Bottom




6 Work Surface Edge Types Typical



3 Sightline HD Open Base 3 Bay Front



4 Sightline HD Open Base 3 Bay Section A-A



5 Sightline HD Open Base 3 Bay Back




59000 Sightline HD Open Base 3 Bay

SCALE - NTS

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

Sheet

3/5



① Sightline HD Open Base 3 Bay Ergonomic Details - Sitting




59000 Sightline HD Open Base 3 Bay

SCALE - NTS


The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

Sheet


4 / 5



① Sightline HD - Concave Corners



② Sightline HD - Convex Corners




15 Degrees

45 Degrees

90 Degrees

③ Sightline HD - Concave Corner Types



15 Degrees

45 Degrees

④ Sightline HD - Convex Corner Types



59000 Sightline HD Open Base Corners

SCALE - NTS

The copyright of this drawing and design is vested solely in the Winsted Corporation. Reproduction of the document, in whole or in part, is prohibited other than with the express permission of the above company.

Sheet